

## Biography of Jan Erik Almlöf

Jan Erik Almlöf was born in Malung, Sweden on 1 April 1945. He received his Fil. Kand. degree at the University of Uppsala in 1967. He started his research career the same year in the Department of Inorganic Chemistry at the same university with Professor Ivar Olavsson as his mentor. Jan started as an experimental chemist. The task given to him was to study, using X-ray diffraction techniques, the structure of crystals containing hydrogen bonds. The Fil. Lic. degree that he received in 1971 was based on a thesis on the crystal structure of three different hydrates of perchloric acid. Jan realized early that a deeper understanding of the hydrogen bond would have to involve theoretical studies. His earliest attempts were based on simple semi-empirical calculations, but it was soon clear to him that such an approach would not be adequate. In 1968 he therefore contacted the quantum chemistry group at the Department of Theoretical Physics, University of Stockholm. He found there a small group of people (Björn Roos, Per Siegbahn, and Ulf Wahlgren) who were trying, for the first time in Sweden, to implement *ab initio* quantum chemical methods. At the time the group was working with the IBMOL program, and Jan soon realized that this code was not capable of attacking the problems in which he was interested. He found an effective way to speed up the calculation of integrals by using both the local (atomic) symmetry of the basis functions and the molecular symmetry. Based on these ideas he wrote a new integral code – MOLECULE. This program represented a breakthrough for both Hartree-Fock and correlated methods, since it enabled calculations with considerably larger basis sets than the previous generation of integral codes. The novelty and insight that coloured all of Jan's work is already manifest in this work.

In May 1974 he presented his doctoral thesis “Studies of Hydrogen Bonding by Quantum-Mechanical Calculations and X-ray Diffraction Methods”, which included both his experimental and theoretical work. Among the papers included in the thesis was a Hartree-Fock study of the intramolecular hydrogen bonds in the porphyrin molecule, certainly one of the largest *ab initio* calculations performed up to that time. Jan's integral code was to become the cornerstone of many of the *ab initio* codes

developed during the 1970s, and his method of embedding symmetry deeply in the code had a profound influence on how symmetry was also exploited in wave function codes developed by the Stockholm group and by others.

After a postdoctoral period with Enrico Clementi at IBM, San Jose (where, among other things, he used MOLECULE to study the interaction between an iron porphyrin and an oxygen molecule), in 1975 Jan accepted a permanent position as “docent” at the University of Oslo. He and his family moved from Uppsala to Nittedal, a small village outside Oslo. He did some of his most important work during his stay in Oslo, work that established his international reputation in the field of theoretical chemistry. For example, it was in Oslo that he developed the direct SCF code DISCO together with his student and collaborators (Knut Fægri, Knut Korsell). Jan always credited the notion of recomputing rather than storing integrals to a chance remark made by Enrico Clementi, years before, but in fact it was entirely an effort of the Oslo group that showed not only that a direct SCF approach was practical but that it could also be made very efficient. For example, the Oslo group were able to perform SCF calculations with more than 500 contracted basis functions on a minicomputer in 1979! In addition, in collaboration with the groups in Lund and Stockholm (Björn Roos and Per Siegbahn) and a student (Anders Heiberg) he made important contributions to the CAS-SCF field. With Svein Sæbø he developed an energy gradient code for Hartree-Fock wave functions, and then with Trygve Helgaker Jan extended his contributions to the field of energy derivatives. With Danish collaborators (Hans Jørgen Jensen and Poul Jørgensen) they developed one of the first practical MCSCF second-order properties programs. Methods for relativistic quantum chemistry, resulting among other things in an important paper, “*A Variational Approach to Relativistic Effects in LCAO Calculations*”, together with Knut Fægri and Hans Grelland, were another interest that originated in the Oslo years.

Jan's importance for theoretical chemistry in Norway went beyond his direct scientific contributions. He also played a key role when Norway installed its first super-

computer, a program which has developed into a national computer network serving as the backbone of scientific computing in Norway. In addition, Jan's interest in chemistry stretched far beyond the field of theoretical chemistry. He influenced the chemical society in Norway through this genuine interest in chemistry as a whole. Many experimental chemists enjoyed long and illuminating conversations with Jan about their own research projects and chemistry in general.

In 1984 Jan spent a sabbatical at the Theoretical Chemistry Department at Lund University. During that time he became involved in the rapidly developing field of high-performance computing, writing a new Gaussian integral program that was vectorized for the CRAY-1 computer. On his return to Oslo Jan became a full professor in the chemistry department.

In 1985, Jan left Oslo to assume a position as Professor of Chemistry and Fellow of the Minnesota Supercomputer Institute at the University of Minnesota, Minneapolis. Here, Jan had a full program of teaching, service, and research. He taught courses in general chemistry, physical chemistry, quantum chemistry, computational chemistry, electronic structure theory, and mathematical methods of chemistry at the university and was in great demand as lecturer at workshops and summer school. He was elected a member of the Commission of Charge Density of the International Union of Crystallography in 1993, he served on the Chemistry Focus Group Advisory Board of the Maui High-Performance Computing Center, and he served on the UniChem Scientific Advisory Board of Cray Research, Inc. He served the entire theoretical chemistry community by accepting positions on the advisory editorial boards of *Theoretica Chimica Acta* and the *International Journal of Quantum Chemistry*.

While Jan was in the United States, he maintained his contacts in Europe through visiting professorships at the University of Lund, the University of Tromsø, the ETH (Zürich), and the University of Strasbourg. He maintained especially close relationships with friends and colleagues in Norway and served in many respects as a bridge-builder to scientific culture in the United States both for established colleagues and, probably more importantly, for younger scientists. This close collaboration over the years was strengthened further when he assumed a joint professorship in Tromsø in 1994, where for many years he had come regularly to work with students and staff on the development of relativistic theory and the theoretical study of heterogeneous catalysis and clusters (with Odd Gropen, Merethe Sjøvoll, Trond Saue).

Scientific collaboration with researchers in the United States was not neglected either. For example, he continued an association with Peter Taylor at NASA in Ames and later in San Diego that had begun when Jan was in Oslo and Peter in Melbourne – a long-range interaction indeed in the days before e-mail. This association led to the development of basis sets for accurate correlated calculations, work that influenced a number of other workers in this field.

Jan's research in Minneapolis was funded by Control Data Corporation, the Strategic Defense Initiative, the National Science Foundation, the Petroleum Research

Fund of the American Chemical Society, NASA, IBM, Cray Research, and the U.S. Department of Energy. His research interests continued to be varied, including nonlinear optics and synthetic optical materials, proton transfer, electron detachment, molecular structure, bond energies, van der Waals molecules and intermolecular interactions, porphyrins, organometallic compounds, parallel computing, density functional theory, and improved algorithms for perturbation theory calculations. He continued to carry out influential work on avoiding the molecular integral storage bottleneck, including an original algorithm (with Hans-Peter Luethi at ETH Zürich) for direct SCF calculations over a network of distributed computers, and several studies on what would now be called "linear scaling" methods for calculation of Hartree-Fock and density functional theory energies. The one topic to which the devoted most of his attention was probably a continuing series of large-scale calculations on the molecular structure of small carbon clusters.

Jan was awarded the Schroedinger Medal of the World Association of Theoretical Organic Chemistry in 1993, fitting recognition of his many influential contributions to chemistry as a whole, not only quantum chemistry.

Jan died on 16 January 1996, and is buried at Malung, Sweden, his birthplace.

#### Students and Colleagues of Jan Erik Almlöf

- Undergraduate Students  
John Alexander, Steven Davis, Bradley DeLeuw, Kevin Lan, Vasilios Melissas, Joel Parriott, Timothy Patton.
- Graduate Students  
Oslo  
Anders Heiberg, Knut Korsell, Svein Saebo, Hans Grellund, Peter Ruoff, Trygve Helgaker.  
Minnesota  
Martin Feyereisen, Vudhichai Parasuk, Changyok Park, Zhengtian Yu, Robin Jurgens-Lutowosky, Bor-Tsang Chen, Angela Wilson, Deborah Hankinson, Yu-Cheng Zheng, Eric Schwegler, Sutjano Jusuf, Ron Brown.
- Postdoctoral Associates  
Oslo  
Ragnar Johansen, Alexandr Nemukhin, Birgitte Schilling  
Minnesota  
Trygve Helgaker, Harrell Sellers, Mutsumi Tomonari, Norihiro Shida, Itai Panas, Anna Walicki, Sarita Srivastava, Thomas Fischer, Marco Haeser, Wim Klopper, Andrew Sargent, Olav Vahtras, Matt Challacombe, Mari Carmen Piqueras.
- Visiting Scientists at Minnesota  
Hans Jensen, Poul Jørgensen, Hans Agren, Vincenzo Caravetto, Hans Peter Luethi, Odd Gropen, Svein Saebo, Ulf Wahlgren, Alexandr Nemukhin, Charles Gillan, Inge Roeggen, Kurt Mikkelsen, G. Reza Ahmadi, Marianna Fanti, Raul Crespo.
- University of Minnesota Faculty Coauthors  
Doreen Leopold, Larry Miller, Paul Barbara, Paul Gassman, Larry Que, Chris Cramer, Kenneth Leopold, Don Truhlar.

## Publications of Jan Erik Almlöf

### Journal articles

- Almlöf JE, Lundgren J-O, Olovsson I (1971) The crystal structure of  $\text{HClO}_4 \cdot 2.5 \text{H}_2\text{O}$ . *Acta Crystallogr* B27:898
- Almlöf JE, Kvik Å, Olovsson I (1971) The crystal structure of the intermolecular complex 2-pyridone:6-chloro-2-hydroxypyridine. *Acta Crystallogr* B27:2101
- Almlöf JE, Mårtensson O (1971) The valence electron density distribution of hydrogen-bonded systems in the iterative extended Hückel approach: I. The dimers of formic and acetic acid. *Acta Chem Scand* 25:1413
- Almlöf JE, Mårtensson O (1971) The valence electron density distribution of hydrogen-bonded systems in the iterative extended Hückel approach: II. The dimer of formamide. *Acta Chem Scand* 25:355
- Almlöf JE, Mårtensson O (1972) The valence electron density distribution of hydrogen-bonded systems in the iterative extended Hückel approach: III. The pyrrole-pyridine system. *Int J Quant Chem* 6:491
- Almlöf JE (1972) The crystal structure of perchloric acid trihydrate. *Acta Crystallogr* B28:481
- Almlöf JE, Lindgren J, Tegenfeldt J (1972) Ab initio calculations of some properties of water molecules in the free state and in solid hydrates. *J Mol Struct* 14:427
- Almlöf JE (1972) Ab initio calculation of the vibrational structure equilibrium geometry in  $\text{HF}_2^-$  and  $\text{DF}_2^-$ . *Chem Phys Lett* 17:49
- Almlöf JE, Roos B, Wahlgren U, Johansen H (1973) The electronic structure of the azabenzenes: An Ab initio MO SCF LCAO study. *J Electron Spectrosc Relat Phenomena* 2:51
- Almlöf JE, Wahlgren U (1973) Ab initio studies of the conformation of the oxonium ion in solids. *Theor Chim Acta* 28:161
- Almlöf JE (1973) The crystal structure of  $\text{HClO}_4 \cdot 3.5 \text{H}_2\text{O}$ . *Chem Scripta* 3:73
- Almlöf JE, Henriksson-Enflo A, Kowalewski J, Sundbom M (1973) Theoretical studies of electrophilic substitutions of fluorobenzene. *Chem Phys Lett* 21:560
- Almlöf JE, Kvik Å, Thomas JO (1973) Electron density distribution in alpha-glycine: X-N difference fourier synthesis vs. ab initio calculations. *J Chem Phys* 59:3901
- Almlöf JE, Isaksson U, Mjöberg J, Ralowski W (1974) Ab initio SCF LCAO MO calculations on styrene. *Chem Phys Lett* 26:215
- Almlöf JE (1974) Ab initio calculation of the equilibrium geometry and rotation barriers in biphenyl. *Chem Phys* 6:135
- Almlöf JE, Thuomas K-Å, Lund A (1974) Ab initio MO LCAO UHF calculations of magnetic hyperfine interactions in sigma radicals: isotropic and anisotropic couplings of  $\text{NO}_2$  and  $\text{CO}_2^-$ . *Chem Phys Lett* 28:179
- Almlöf JE (1974) Ab initio calculations on porphyrin. *Int J Quantum Chem* 8:915
- Almlöf JE, Støgård Å (1974) A comparative study of electrostatic potential maps obtained with different basic sets. *Chem Phys Lett* 29:418
- Almlöf JE, Lund A, Thuomas K-Å (1975) Ab initio MO LCAO UHF calculations of magnetic hyperfine interactions in pi-radicals: isotropic and anisotropic couplings of  $\text{CH}_3$ ,  $\text{NH}_3^+$ ,  $\text{C}_2\text{H}_5$ , and  $\text{N}_2\text{H}_4^+$ . *Chem Phys* 7:465
- Ralowski W, Mjöberg J, Almlöf JE (1975) Conformational study of meta-halostyrenes. *Chem Soc Trans II* 71:1109
- Karlström G, Wennerström H, Jönsson B, Forsén S, Almlöf JE, Roos B (1975) An intramolecular hydrogen bond: ab initio MO calculations on the enol tautomer of malondialdehyde. *J Am Chem Soc* 97:4188
- Støgård Å, Strich A, Almlöf JE, Roos B (1975) Correlation effects on hydrogen-bond potentials; SCF-CI calculations for the systems  $\text{HF}_2^-$  and  $\text{H}_3\text{O}_2^-$ . *Chem Phys* 8:405
- Almlöf JE, Styrm H (1975) A conformational study of ethylene glycol. *Chem Phys Lett* 33:118
- Thomas JO, Tellgren R, Almlöf JE (1975) X-N maps and ab initio MO-LCAO-SCF calculations of the difference electron density in non-centrosymmetric lithium formate monohydrate,  $\text{LiHCOO} \cdot \text{H}_2\text{O}$ . *Acta Crystallogr* B31:1946
- Hussein MA, Almlöf JE, Lindgren J (1975) The system water: pyridine. Infrared frequency and intensity measurements vs. ab initio calculations. *J Mol Struct* 27:391
- Almlöf JE, Lund A, Thuomas K-Å (1975) Ab initio MO LCAO UHF calculations of the stability in dimeric ethylene radical ions. *Chem Phys Lett* 32:190
- Almlöf JE, Haselbach E, Jackimowicz F, Kowalewski J (1975) Electrostatic potential field and nucleophilicity of 3, 5, 8, 10-tetramethyl-aceheptylene. *Helv Chim Acta* 48:2409
- Bagus PS, Wahlgren U, Almlöf JE (1976) A theoretical study of the electronic structure of ferrocene and ferricenium: application to Mössbauer isomer shifts, ionization potentials, and conformation. *J Chem Phys* 64:2324
- Åkermark B, Almemark M, Almlöf JE, Bäckvall J, Støgård Å, Roos B (1977) Chemical bonding and reactivity in nickel-ethene complexes: an ab initio MO SCF study. *J Am Chem Soc* 99:4628
- Jönsson B, Karlström G, Forsén S, Almlöf JE, Roos B (1997) Ab initio molecular orbital calculations on the water-carbon dioxide system: reaction pathway for  $\text{H}_2\text{O} + \text{CO}_2 \rightarrow \text{H}_2\text{CO}_3$ . *J Am Chem Soc* 99:4617
- Almlöf JE, Roos B, Siegbahn P (1978) An MC-SCF computations scheme for large-scale calculations on polyatomic systems. *Comput Chem* 2:89
- Mjöberg J, Almlöf JE (1978) A conformational study of bicyclo [3, 1, 0]hexane and of the 3-bicyclo[3, 1, 0]hexyl carbonium ion: an ab initio SCF investigation. *Chem Phys* 29:201
- Ottersen T, Almlöf JE (1978) The electron density distribution in hexahydro-3, 6-pyridazine-dione. *Acta Chem Scand* A32: 219

- Almlöf JE, Ottersen T (1979) X-ray high-order refinement of hydrogen atoms: a theoretical approach. *Acta Crystallogr* A35:137
- Almlöf JE, Ischenko AA (1979) The molecular structure of lithium nitrate as determined by ab initio calculations. *Chem Phys Lett* 61:79
- Demidov AV, Ivanov AA, Ivashkevich LS, Ischenko AA, Spiridonov VP, Almlöf JE, Strand T (1979) Electron-diffraction study of the vibrational assignment, molecular structure, and barrier to pseudorotation of gaseous tantalum pentabromide. *Chem Phys Lett* 64:528
- Ottersen T, Almlöf JE, Hope H (1980) Deformation electron densities: X-X<sub>HO</sub> Fourier synthesis vs. ab initio calculations. *B36:1147*
- Lüthi H.-P, Almlöf JE, Ammeter J, Korsell K (1980) The metal to ring distance of ferrocene as determined by ab initio MO SCF calculations. *Chem Phys Lett* 69:540
- Ruoff P, Almlöf JE, Saebø S (1980) Conformational analysis of primary ethylene ozonide by gradient and multiconfigurational SCF calculations. *Chem Phys Lett* 72:489
- Saebø S, Almlöf JE (1980) Rotational barriers in cyanine dyes: ab initio studies of some simple diamino-polymethinium cations. *Acta Chem Scand* A34:651
- Nemukhin AV, Almlöf JE, Heiberg A (1980) Potential curves for BLi and BLi<sup>+</sup>. *Chem Phys Lett* 76:601
- Siegbahn PEM, Almlöf JE, Heiberg A, Roos B (1981) The complete active space SCF (CASSCF) method in a Newton-Raphson formulation with application to the HNO molecule. *J Chem Phys* 74:2384
- Nemukhin AV, Almlöf JE, Heiberg A (1981) Potential curves of BO and LiO calculated with the complete active space SCF (CASSCF) method. *Chem Phys* 57:197
- Nemukhin AV, Almlöf JE, Heiberg A (1981) SCF and CASSCF studies of geometrical rearrangements in LiBO. *Theor Chim Acta* 59:9
- Almlöf JE (1981) Ab initio MO-SCF calculations of equilibrium geometry and vibrational structure for the bichloride ion, HCl<sub>2</sub><sup>-</sup>. *THEOCHEM* 85:179
- Almlöf JE, Nemukhin AV, Heiberg A (1981) Treatment of excited states in the CASSCF method: application to BO. *Int J Quant Chem* 20:655
- Sellers H, Boggs JE, Nemukhin AV, Almlöf JE (1981) The molecular structure and computed vibrational spectrum of B<sub>2</sub>O<sub>3</sub>. *THEOCHEM* 85:195
- Almlöf JE, Helgaker TU (1981) Basis set considerations for the calculation of gradients in the LCAO formalism. *Chem Phys Lett* 83:125
- Ruoff P, Saebø S, Almlöf JE (1981) Gradient and MCSCF calculations of the conformers and the formation of primary ethylene ozonide. *Chem Phys Lett* 83:549
- Ottersen T, Almlöf JE, Carle JS (1982) The crystal structure and electron density distribution of tetraformohydrazide at 110 K. *Acta Chem Scand* A36:63
- Heiberg A, Almlöf JE (1982) Complete active space SCF (CASSCF) calculations on the equilibrium geometry and vibrational spectrum of the HNO molecule in its lowest <sup>1</sup>A', <sup>1</sup>A'', and <sup>3</sup>A'' states. *Chem Phys Lett* 85:542
- Fernhold L, Haaland A, Jutz P, Seip R, Almlöf JE, Faegri K Jr, Kvåle E, Lüthi H-P, Schilling BER, Taugbøl K (1982) On the molecular structure and bonding in germanocenes: the molecular structure of bis(pentamethylcyclopentadienyl)germanium – a retraction. A36:93
- Grelland HH, Almlöf JE (1982) Reduced local energy as a criterion for the accuracy of approximate Hartree-Fock wave functions. Application to H<sub>2</sub>O and CH<sub>4</sub>. *Int J Quant Chem* 21:885
- Heiberg A, Almlöf JE, Nemukhin AV, CASSCF calculations of potential energy curves for the BO<sup>-</sup> ion. *Chem Phys Lett* 88:399
- Almlöf JE, Faegri K Jr, Korsell K (1982) Principles for a direct SCF approach to LCAO-MO ab initio calculations. *J Comput Chem* 3:385
- Lüthi H-P, Ammeter JH, Almlöf JE, Faegri K (1982) How well does the Hartree-Fock model predict equilibrium geometries of transition metal complexes? Large-scale LCAO SCF studies on ferrocene and decamethylferrocene. *J Chem Phys* 77:2002
- Almlöf JE, Jonvik T (1982) The molecular structure and spectra of cubane. An ab initio investigation. *Chem Phys Lett* 92:267
- Almlöf JE, Fernhold L, Faegri K Jr, Haaland A, Schilling BER, Seip R, Taugbøl K (1983) The molecular structure of 1,1'-dimethylgermanocene and 1,1'-dimethylstannocene, (C<sub>5</sub>H<sub>4</sub>Me)<sub>2</sub>M, M=Ge and Sn, determined by gas electron diffraction, self-consistent field molecular orbital calculations of germanocene, (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Ge. *Acta Chem Scand* A37:131
- Almlöf JE, Faegri K Jr (1983) Basis set effects in Hartree-Fock studies on aromatic molecules: Hartree-Fock calculations of properties in Benzene and hexafluorobenzene. *J Chem Phys* 79:2284
- Almlöf JE, Faegri K Jr (1983) Steric forces in substituted aromates: the conformation of the hexahalobenzenes as determined by ab initio MO LCAO calculations. *J Am Chem Soc* 105:2965
- Faegri K Jr, Almlöf JE, Lüthi H-P Jr (1983) The geometry and bonding of magnesocene: an ab initio MO-LCAO investigation. *Organomet Chem* 249:303
- Schei SH, Almenningen A, Almlöf JE (1984) 1,2,4,5-tetrafluorobenzene: molecular structure in the gaseous phase, as determined by electron diffraction and by ab initio calculations. *J Mol Struct* 112:301
- Almlöf JE, Faegri K Jr, Grelland HH (1984) Comment on: Relativistic integrals over Breit-Pauli operators using general Cartesian Gaussian functions. *J Chem Phys* 80:6329
- Helgaker TU, Almlöf JE (1984) A second-quantization approach to the analytical evaluation of response properties for perturbation-dependent basis sets. *Int J Quant Chem* 26:275
- Almlöf JE, Faegri K Jr, Schilling BER, Lüthi H-P (1984) An investigation of correlation effects in transition metal complexes. Hartree-Fock studies on a series of metallocenes. *Chem Phys Lett* 106:266
- Faegri K Jr, Almlöf JE (1984) Ni(CO)<sub>4</sub> - a test of the Hartree-Fock approximation for transition-metal compounds. *Chem Phys Lett* 107:121
- Almlöf JE, Uggerud E, Hvistendahl H (1984) An MCSCF study of symmetric 1,3-elimination of H<sub>2</sub> from the 2-propyl cation. *Chem Phys* 90:55
- Lüthi H-P, Siegbahn PEM, Almlöf JE, Faegri K Jr (1984) The effect of electron correlation on the metal-ligand bond in ferrocene. *Chem Phys Lett* 111:1
- Almlöf JE, Taylor PR (1985) Molecular properties from perturbation theory – a unified theory of energy derivatives. *Int J Quant Chem* 27:743
- Almlöf JE, Faegri K Jr, Grelland HH (1985) A variational approach to relativistic effects in LCAO calculations. *Chem Phys Lett* 114:53
- Lüthi H-P, Siegbahn PEM, Almlöf JE (1985) The effect of electron correlation on the metal-ligand interaction in Fe(CO)<sub>5</sub>. *J Phys Chem* 89:2156
- Melissas V, Faegri K Jr, Almlöf JE (1985) The rotation of methyl groups in hexamethylbenzene. *J Am Chem Soc* 107:4640
- Jørgensen U, Almlöf JE, Larsson M, Siegbahn P (1985) CASSCF and CCI calculations of the vibrational band strengths of HCN. *J Chem Phys* 83:3034
- Helgaker TU, Almlöf JE, Jensen HJA, Jørgensen P (1986) Molecular Hessians for large scale MCSCF wavefunctions. *J Chem Phys* 84:6266
- Almlöf JE, Faegri K Jr (1986) Relativistic effects on molecular structure: Methyl derivatives of the fourth main-group elements. *Theor Chim Acta* 69:437
- Faegri K Jr, Almlöf JE (1986) Efficient optimization of Gaussian basis sets: a gradient approach. *J Comput Chem* 7:396
- Almlöf JE, Taylor PR (1987) General contractions of Gaussian basis sets. I. Atomic natural orbitals for first- and second-row atoms. *J Chem Phys* 86:4070

- Lüthi HP, Almlöf JE (1987) Ab initio studies on the thermodynamic stability of the icosahedral  $C_{60}$  molecule buckminsterfullerene. *Chem Phys Lett* 135:357
- Sellers H, Almlöf JE, Saebø S, Pulay P (1987) The Ring Puckering potential of oxetane: TZ +  $nP/MP4$  (SDQ) results. *J Phys Chem* 91:4216
- Lüthi HP, Almlöf JE (1987) Is there a second Order-Jahn-Teller effect in  $VCl_4$ ? *J Chem Phys* 87:3702
- Almlöf JE, Braathen GO, Klæboe P, Nielsen CJ, Priebe H, Schei SH (1987) The vibrational spectra, molecular structure and conformations of organic azides. *J Mol Struct* 160:1
- Almlöf JE, Lüthi H-P (1987) Studies of large carbon clusters using the cray-2. *Chem Design Aut News* 2:1
- Almlöf JE, Helgaker T, Taylor PR (1988) Gaussian basis sets for high-quality ab initio calculations. *J Chem Phys* 92:3029
- Almlöf JE, Truhlar DG, Davis HT, Jensen KF, Tirrell M, Lybrand T (1988) Supercomputer chemistry at the university of Minnesota. *Int J Supercomput Appl* 2:15
- Leopold DG, Almlöf JE, Lineberger WC, Taylor PR (1988) A simple interpretation of the  $Fe_2$  photoelectron spectrum. *J Chem Phys* 88:3780
- Helgaker T, Almlöf JE (1988) Molecular wave functions and properties calculated using floating Gaussian orbitals. *J Chem Phys* 89:4889
- Rohlfing CM, Almlöf JE (1988) Theoretical determination of the dipole moment of carbon monophosphide,  $CP(X^2_+)$ . *Chem Phys Lett* 147:258
- Saebø S, Almlöf JE (1989) Avoiding the integral storage bottleneck in LCAO calculations of electron correlation. *Chem Phys Lett* 154:83
- Shida N, Almlöf JE, Barbara PF (1989) Molecular vibrations in a gradient extremal path. *Theor Chim Acta* 76:7
- Jørgensen UG, Almlöf JE, Siegbahn PEM (1989) CASSCF calculations of the vibrational band strengths for  $C_3$ . *Astrophys J* 343:554
- Parasuk V, Almlöf JE (1989) The electronic and molecular structure of  $C_6$ : CASSCF and MRCI calculations. *J Chem Phys* 91:1137
- Sellers H, Almlöf JE (1989) On the accuracy in ab initio force constant calculations with respect to basis sets. *J Phys Chem* 93:5136
- Shida N, Barbara F, Almlöf JE (1989) A theoretical study of multidimensional nuclear tunneling in malonaldehyde. *J Chem Phys* 91:4061
- Saebø S, Almlöf JE, Stark JG, Boggs JE (1989) Two approaches to the computational determination of molecular structure: The torsional angle in tolane and the effect of fluorination on the structure of oxirane. *J Mol Struct* 200:361
- Almlöf JE, DeLeeuw BJ, Taylor PR, Bauschlicher Jr CW, Siegbahn P (1989) The dissociation energy of  $N_2$ . *Int J Quant Chem Symp* 23:345
- Almlöf JE, Feyereisen MW, Meyer HM, Wagener TJ, Weaver JH (1989) Photoemission, inverse photoemission, and ab initio SCF investigations of the electronic structure of polyimide. *Chem Phys Lett* 164:527
- Almlöf JE, Truhlar DG, Lybrand TP (1990) Supercomputer chemistry structure, dynamics, and biochemical applications. *Interdiscipl. Sci Rev* 15:252
- Jozefiak TH, Almlöf JE, Feyereisen MW, Miller LL (1989) Mixed-valence, conjugated semiquinones. *J Am Chem Soc* 111:4105
- Taylor PR, Lee TJ, Rice JE, Almlöf JE (1989, 1992) The polarizabilities of Ne. *Chem Phys Lett* 163:359, 189:197(E)
- Almlöf JE, Taylor PR (1990) General contraction of Gaussian basis sets. II. Atomic natural orbitals and the calculation of atomic and molecular properties. *J Chem Phys* 92:551
- Almlöf JE, Feyereisen MW, Jozefiak TH, Miller LL (1990) Electronic structure and near infrared spectra of diquinone anion radicals. *J Am Chem Soc* 112:1206
- Shida N, Barbara PF, Almlöf JE (1991) A reaction surface Hamiltonian treatment of the double proton transfer of formic acid dimer. *J Chem Phys* 94:3633
- Jurgens R, Almlöf JE (1991) Two very different B...N bond distances: Electronic structure calculations on  $BF_3...NCCN$  and  $BF_3...NCCH_3$ . *Chem Phys Lett* 176:263
- Parasuk V, Almlöf JE, Feyereisen MW (1991) The [18] all-carbon molecule: Cumulene or polyacetylene? *J Am Chem Soc* 113:1049
- Parasuk V, Almlöf JE (1991) The electronic and molecular structure of  $C_4$ : Multi-reference configuration interaction calculations. *J Chem Phys* 94:8172
- Häser M, Feyereisen MW, Almlöf JE (1991) Exploiting non-Abelian point group symmetry in direct two-electron integral transformations. *Theor Chim Acta* 79:115
- Park C, Almlöf JE (1991) The electronic and molecular structure of Ferrocene. *J Chem Phys* 95:1829
- Panas I, Almlöf JE, Feyereisen MW (1991) Ab initio methods for large systems. *Int J Quant Chem* 40:797
- Parasuk V, Almlöf JE, DeLeeuw B (1991) Basis set superposition errors in tightly bound systems. *Chem Phys Lett* 176:1
- Rice JE, Taylor PR, Lee TJ, Almlöf JE (1991) The determination of accurate dipole polarizabilities  $\alpha$  and  $\gamma$  for the noble gases. *J Chem Phys* 94:4972
- Jurgens-Lutovsky R, Almlöf JE (1991) Dual basis sets in calculations of electron correlation. *Chem Phys Lett* 178:451
- Srivastava S, Almlöf JE (1991) A model calculation on the chemisorption of aluminum on graphite. *Surf Sci Lett* 255:L509
- Almlöf JE (1991) Elimination of energy denominators in Møller-Plesset perturbation theory by a Laplace transform approach. *Chem Phys Lett* 181:319
- Wahlgren U, Siegbahn P, Almlöf JE (1991) Oxygen chemisorption on metal surfaces using the Cluster model. Basis set effects. *Theor Chim Acta* 79:413
- Shida N, Almlöf JE, Barbara PF (1991) Tunneling paths in intramolecular proton transfer. *J Phys Chem* 95:10457
- Häser M, Almlöf JE, Scuseria GE (1991) The equilibrium geometry of  $C_{60}$  as predicted by second-order (MP2) perturbation theory. *Chem Phys Lett* 181:497
- Shida N, Almlöf JE, Barbara PF (1991) Tunneling paths in intramolecular proton transfer. *J Phys Chem* 95:10457
- Häser M, Almlöf JE, Scuseria GE (1991) The equilibrium geometry of  $C_{60}$  as predicted by second-order (MP2) perturbation theory. *Chem Phys Lett* 181:497
- Liu J, Feyereisen MW, Almlöf JE, Rohlfing CM, Saebø S (1991) Ab initio studies of substituted diamond-like carbon clusters. *Chem Phys Lett* 183:478
- Yu Z, Almlöf JE (1991) Jahn-Teller distortions in the octahedral  $Ni_6$  cluster. *J Phys Chem* 95:9167
- Ghosh A, Almlöf JE, Gassman PG (1991) Ab initio SCF studies of basis set effects in free base porphyrin. *Chem Phys Lett* 186:113
- Parasuk V, Almlöf JE (1991)  $C_{20}$ : The smallest fullerene? *Chem Phys Lett* 184:187
- Martin JML, Francois JP, Gijbels R, Almlöf JE (1991) Structure and infrared spectroscopy of the  $C_{11}$  molecule. *Chem Phys Lett* 187:367
- Gassman PG, Almlöf JE, Ghosh A (1992) Evaluation of electronic effects of peripheral substituents in porphyrins by photoelectron spectroscopy and ab initio calculations. *Chem Soc* 114:9990
- Panas I, Almlöf JE (1992) A fragment multipole approach to long-range Coulomb interactions in Hartree-Fock calculations on large systems. *Int J Quant Chem* 42:1073
- Nemukhin AV, Almlöf JE (1992) Theoretical investigations of  $AlO_2$ . *THEOCHEM* 253:101
- Parasuk V, Almlöf JE (1992) The electronic and molecular structure on carbon clusters:  $C_8$  and  $C_{10}$ . *Theor Chim Acta* 83:227
- Gropen O, Almlöf JE (1992) The band structure of nickel: Ab initio calculations on the  $Ni_6$  cluster. *Chem Phys Lett* 191:306
- Lüthi HP, Mertz JE, Feyereisen MW, Almlöf JE (1992) A Coarse-grain parallel implementation of the direct SCF method. *J Comput Chem* 13:160
- Häser M, Almlöf JE (1992) Laplace transform techniques in Møller-Plesset perturbation theory. *J Chem Phys* 96:489

- Feyereisen M, Gutowski M, Simons J, Almlöf JE (1992) Relative stabilities of fullerene, cumulene, and polyacetylene structures for  $C_n$ :  $n = 18-60$ . *J Chem Phys* 96:2926
- Rice JE, Scuseria GE, Lee TJ, Taylor PR, Almlöf JE (1992) Connected triple excitations in coupled-cluster calculations of hyperpolarizabilities: Neon. *Chem Phys Lett* 191:23
- Gropen O, Almlöf JE, Wahlgren U (1992) Relativistic calculations on platinum hydride using effective core potentials and first order perturbation theory. *J Chem Phys* 96:8363
- Srivastava S, Almlöf JE (1992) Chemisorption of aluminium atoms on a graphite surface: Cluster convergence and chemisorption-induced non-planarity. *Surf Sci Lett* 274:113
- Jensen P, Rohlfing CM, Almlöf JE (1992) Calculation of the CASSCF potential energy surface, the dipole moment surfaces, the vibration-rotation energies, and the vibrational transition moments for  $C_3$  ( $X^1_{-g}^+$ ). *J Chem Phys* 97:3399
- Fischer TH, Almlöf JE (1992) General methods for geometry- and wavefunction optimization. *J Phys Chem* 96:9768
- Gassman PG, Ghosh A, Almlöf JE (1992) Electronic effects of peripheral substituents in porphyrins: X-ray photoelectron spectroscopy and ab initio self-consistent field calculations. *J Am Chem Soc* 114:9990
- Parasuk V, Almlöf JE (1992) The electronic and molecular structure of carbon clusters:  $C_8C_{10}$ . *Theor Chim Acta* 83:227
- Almlöf JE, Fischer TH, Gassman PG, Ghosh A, Häser M (1993) Electron correlation in tetrapyrroles. Ab initio calculations on porphyrin and the tautomers of chlorin. *J Phys Chem* 97:10964
- Lüthi HP, Almlöf JE (1993) Network supercomputing: a distributed-concurrent direct SCF scheme. *Theor Chim Acta* 84:443
- Tomonari M, Ookubo N, Takada T, Feyereisen MW, Almlöf JE (1993) Simplified sum-over-states calculations and missing-orbital analysis on hyperpolarizabilities of benzene derivatives. *Chem Phys Lett* 203:603
- Klopper W, Almlöf JE (1993) Towards the one-particle basis set limit of second-order correlation energies: MP2-R12 calculations on small  $Be_n$  and  $Mg_n$  clusters ( $n = 1-4$ ). *J Chem Phys* 99:5167
- Ghosh A, Almlöf JE (1993) The ultraviolet photoelectron spectrum of free-base porphyrin revisited. On the performance of local density functional theory. *Chem Phys Lett* 213:519
- Zheng YC, Almlöf JE (1993) Density functionals without meshes and grids. *Chem Phys Lett* 214:397
- Vahtas O, Almlöf JE, Feyereisen MW (1993) Integral approximations for LCAO-SCF calculations. *Chem Phys Lett* 213:514
- Sargenf A, Almlöf JE, Feyereisen MW (1993) Massively parallel algorithms for electronic structure calculations in quantum chemistry. *SIAM News* 26
- Ghosh A, Gassman PG, Almlöf JE (1994) Substituent effects in porphyrazines and phthalocyanines. *J Am Chem Soc* 116:1932
- Ghosh A, Almlöf JE, Que L (1994) Density functional theoretical study of Oxo(porphyrinato)iron(IV) complexes, models of peroxidase compounds I and II. *J Phys Chem* 98:5576
- Sargent AL, Almlöf JE, Liberko CA (1994) Electron delocalization in helical bis-quinone anion radicals. *J Phys Chem* 98:6114
- Ghosh A, Fitzgerald J, Gassman PG, Almlöf JE (1994) Electronic distinction between porphyrins and tetraazaporphyrins. Insights from X-ray photoelectron spectra of free base porphyrin, porphyrazine and phthalocyanine ligands. *J Inorg Chem* 33:6057
- Park C, Almlöf JE (1994) Two-electron relativistic effects in molecules. *Chem Phys Lett* 231:269
- Almlöf JE, Jensen P, Northrup FJ, Rohlfing CM, Rohlfing EA, Sears TJ (1994) Comment on "The  $v_1 + v_3$  combination mode of  $C_3$  in Ar and Kr matrices: Evidence for a Bent structure". *J Phys Chem* 101:5413
- Ghosh A, Almlöf JE (1995) Structure and stability of cis-porphyrin. *J Phys Chem* 99:1073
- Røeggen I, Almlöf JE, Ahmadi GR (1995) An accurate computational model for the study of intermolecular interactions. *J Chem Phys* 102:7088
- Røeggen I, Almlöf JE (1995) An accurate calculation of the three-body potential for the ground state of the helium trimer. *J Phys Chem* 102:7095
- Almlöf JE (1995) Recurrence relations for calculation of the Cartesian multipole tensor. *Chem Phys Lett* 241:67
- Assfeld X, Almlöf JE, Truhlan DG (1995) Degeneracy-corrected perturbation theory for electronic structure calculations. *Chem Phys Lett* 241:438
- Phillips JA, Canagaratna M, Goodfriend H, Grushow A, Almlöf JE, Leopold KR (1995) Microwave and ab initio investigation of HF-BF<sub>3</sub>. *J Am Chem Soc* 117:12549
- Cramer CJ, Dulles FJ, Giesen DJ, Almlöf JE (1995) Density functional theory: excited states and spin annihilation. *Chem Phys Lett* 245:165
- Ahmadi GR, Almlöf JE (1995) The Coulomb operator in a Gaussian product basis. *Chem Phys Lett* 246:364
- Røeggen I, Almlöf JE (1996) Interatomic potential for the  $X^1_{\Sigma_g^+}$  state of Be<sub>2</sub>. *Int J Quant Chem* 60:453
- Hankinson D, Almlöf JE, Leopold KR (1996) A direct comparison between structure correlations and reactions paths. *J Phys Chem* 100:6904
- Hankinson DJ, Almlöf JE (1996) Cluster models for lithium intercalated graphite: electronic structures and energetics. *THEOCHEM* 388:245
- Challacombe M, Schwegler E, Almlöf JE (1996) Fast assembly of the Coulomb matrix: a quantum chemical tree code. *J Chem Phys* 104:4685
- Ghosh A, Almlöf JE, Que L Jr (1996) Electronic structure of non-heme high-valent iron-oxo complexes with the unprecedented [Fe<sub>2</sub>(μ-O)<sub>2</sub>]<sup>3+</sup> core. *Angew Chem Int Ed Engl* 35:770
- Crespo R, Tomás F, Piqueras MC, Almlöf JE (1996) Ab initio study of the internal rotation potential of *p*-disilanylbenzene and *p*-(1,1',2,2'-tetramethyldisilanyl)benzene. *THEOCHEM* 371:97
- Zeng Y, Almlöf JE (1996) A grid-free DFT implementation of non-local functionals and analytic energy derivatives. *THEOCHEM* 388:277
- Sargent AL, Pollog ME, Almlöf JE, Gassman PG, Gerlt JA (1996) Enzyme-catalyzed enolization reactions: a theoretical study on the energetics of concerted and stepwise pathways. *THEOCHEM* 388:145
- Hankinson DJ, Almlöf JE, Leopold KR (1996) A direct comparison between structure correlations and reaction paths. *J Phys Chem* 100:6904
- Fanti M, Almlöf JE (1996) Hyperpolarizabilities of substituted polyphenols. *THEOCHEM* 388:3055
- Røeggen I, Almlöf JE (1996) An extended germinal calculation of the three-body potential for the ground state of helium trimer. *THEOCHEM* 388:331
- Wilson AK, Almlöf JE (1997) Møller-Plesset correlation energies in a localized orbital basis using a Laplace transform technique. *Theor Chim Acta* 95:49

### Book chapters and other publications

- Almlöf JE (1972) Methods for rapid evaluation of electron-repulsion integrals in large-scale LCGO calculations. In: Veillard A, Diercksen GHF, Sutcliffe B (eds) *Proceedings of the Second Seminar on Computational Problems in Quantum Chemistry*, Strasbourg, p 14
- Åkermark B, Almemark M, Bäckvall JE, Almlöf JE, Roos B, Støgård Å (1997) Ab initio calculation on nickel-ethylene complexes. In: Pullman B, Goldblum N (eds) *Metal-ligand interactions in organic chemistry and biochemistry*, part 2, p 377
- Almlöf JE, Ischenko AA (1983) Ab initio calculations of the minimal-energy pathway for pseudorotation in PF<sub>4</sub>Cl (in Russian) In: *Physical and mathematical methods in coordination chemistry*. Moldavian Academy of Sciences, p 229
- Almlöf JE, Taylor PR (1984) Computational aspects of direct SCF and MC SCF methods. In: Dykstra C (ed) *Advanced theories and computational approaches to the electronic structure of molecules*. NATO ASI Ser C, 133, Reidel, p 107
- Almlöf JE (1986) Chemical applications of energy derivatives: frequency shifts as a probe of the molecular structure in weak

- molecular complexes. In: Jørgensen P (ed) Geometrical derivatives of energy surfaces and molecular properties. NATO ASI Ser C, 166, Reidel, p 289
- Almlöf JE (1986) Chemical applications of energy derivatives: are second derivatives enough? In: Jørgensen P (ed) Geometrical derivatives of energy surfaces and molecular properties. NATO ASI Ser C, 166 Reidel, p 303
- Almlöf JE, Lüthi HP (1987) Theoretical methods and results for electronic structure calculations on very large systems: carbon clusters. In: Jensen KF, Truhlar DG (eds) Supercomputer research in chemistry and chemical engineering. American Chemical Society, p 35
- Almlöf JE (1988) Electronic structure theory. In: Truhlar DG (ed) Mathematical frontiers in computational chemical physics. Springer, p 18
- Almlöf JE, Fægri K (1990) The direct SCF approach to large Hartree-Fock calculations. In: Carbó R, Klobukowski M (eds) Self-consistent field: theory and applications. Elsevier, p 195
- Almlöf JE, Lüthi H-P (1990) Electronic and molecular structure of carbon grains. In: Tarter JC, Chang S, DeFrees DJ (eds) Carbon in the galaxy. NASA Conference Publication No. 3061 (Carbon Galaxy: Stud. Earth Space), p 245
- Almlöf JE (1990) A Scientist's view on the future of large-scale calculations: computer hardware considerations. In: Lauckholm A (ed) Proceedings of the Nordic Conference on Supercomputing, Oslo. The Norwegian Council of Science and the Humanities, p 167
- Almlöf JE, Taylor PR (1991) Modern basis sets for quantum chemical calculations. *Adv Quantum Chem* 22:301
- Gropen O, Almlöf JE, Wahlgren U (1992) Model studies of chemisorption on platinum surfaces. In: Pacchioni G, Bagus PS, Parmigiani F (eds) Cluster models for surface and bulk phenomena. NATO ASI Ser. B, 283, Plenum Press, p 453
- Almlöf JE (1994) Methods of modern Hartree-Fock theory. In: Roos B (ed) Lecture Notes in Chemistry, Springer, p 1
- Almlöf JE (1994) Direct methods in electronic structure theory. In: Yarkony D, Ng C-Y (eds) Modern electronic structure theory. World Scientific Publishing, p 121
- Gropen O, Almlöf JE (1996) Relativistic effects in chemistry. In: Lipkowitz KB, Boyd DB (eds) Reviews in computational chemistry, vol 8. VCH Publishers, p 203
- Sargent A, Almlöf JE (1996) Massively parallel algorithms for electronic structure calculations in quantum chemistry. In: Astfalk G (ed) Applications on advanced architecture computers. World Scientific Publishing
- Challacombe M, Schwegler E, Almlöf JE (1996) Modern developments in Hartree-Fock theory. Fast methods for computing the Coulomb matrix. In: Lecszynski J (ed) Computational chemistry: review of current trends, vol 1. World Scientific Publishing, p 53
- Almlöf JE (1972) Methods for rapid evaluation of electron repulsion integrals in large-scale LCGO calculations. This report was written in 1972 and was originally available as USIP Report 72-09, which was unpublished. It was prepared for publication in this memorial issue by Peter Taylor. *Theor Chem Acc* 97:10-13