

NAME _____

ID # _____

HONORS ELEMENTARY ORGANIC CHEMISTRY I (2331H)

9:05 – 9:55 am, November 13, 2013

Exam 3

If you want to pick this exam up on Friday in class (in public), please check the box on the right:

If you do not check the box, I will not bring your exam to class on Friday, and you will need to pick up your exam in private from Chemistry department staff in 115 Smith beginning Monday, November 18th. Exams that are not picked up within two weeks will be disposed of.

A periodic table is attached to the back of this exam as an aid. Otherwise, you are not permitted to use any other materials (including notes, books, or electronic devices of any kind).

Right now, write your name and student ID number at the top of this page. When the exam begins, please write your name at the top of the next page.

You may use pen or pencil. However, re-grades will be considered only for exams completed in pen.



Please write your answers in the boxes/spaces provided. If your answer is not in the appropriate space (say, for example, it's on the back of the page), draw us an arrow and/or note telling us where to look.

NAME _____





Scoring: 1. _____ / 8 4. _____ / 19
 2. _____ / 16 5. _____ / 16
 3. _____ / 15 6. _____ / 26

Total Score: _____ / 100




1. (8 pts) Each of the reactions below is drawn with two possible reaction conditions. If only one of the two reaction conditions would generate the given molecule as the major product, circle those conditions. If both sets of conditions would accomplish the reaction, circle "BOTH". If neither set of reaction conditions would succeed, circle "NEITHER". **Circle one answer only.**




2. (16 pts) Each of the reactions below is drawn with two possible products. If one of the two products predominates, circle that preferred product. If the two products are produced equally, circle "BOTH". If neither product would result from the reaction, circle "NEITHER". **Circle one answer only.**




3. (15 pts) For each of the reactions below, **fill in the empty box corresponding to reactants or products**. For reactions that you expect to yield multiple products, give the major product. For reactions that yield multiple enantiomers, draw only one enantiomer in the box, and include the note “+ enantiomer”.



4. (19 pts) When the starting material below is exposed to the conditions of free-radical bromination, four monobrominated products (**A-D**) are isolated.



- a) How would these four molecules relate in terms of product ratio? Which product would be most prevalent, and which would be least prevalent? In the boxes below, rank the four molecules (by letter) from highest to lowest product ratio. If any two molecules would be observed at equal ratios, circle the “≈” sign between those two boxes.




highest product ratio

		>		>		>		lowest product ratio
		or		or		or		
		≈		≈		≈		
		(circle one)		(circle one)		(circle one)		


- b) The free-radical chain reaction that generates products **A-D** is slowed by termination reactions that remove radicals from the reaction cycle. In the box on the right, draw one termination product that would be observed for the reaction above, *other than Br₂ and products A-D*. (So, do not draw Br₂ or any of the products **A-D** above as an answer to this part.)

a termination product





(Problem 4 continues on the next page)


- c) If the reaction on the previous page were a chlorination instead of a bromination—using Cl_2 instead of Br_2 —would the amount (ratio) of product **B(Cl)** be more, less, or the same as the amount (ratio) of product **B(Br)** made in the bromination? (Circle one answer.)




5. (16 pts) For the starting materials and product shown below, **propose a multistep synthesis**. In addition to the molecules shown, you can use any reagents and reactions we've learned about in class. You might discover multiple answers to this problem; draw only your best (one) synthetic route. Feel free to draw an incomplete route—we will give you partial credit where we can.



6. (26 pts) On the next page, **draw a mechanism** (using “electron pushing”) for each of the reactions shown. Draw each mechanistic step explicitly; don't cheat by combining multiple processes in a single step. Use only the molecules shown in the problem; don't invoke generic species. (E.g., don't use “H-A” as a generic acid.)




Mechanism:



Mechanism:

		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18																																																																																																																																																																																				
		1A		2A		3B		4B		5B		6B		7B		8B						1B		2B		3A		4A		5A		6A		7A		8A																																																																																																																																																																																				
1	1	H Hydrogen 1.01	2	He Helium 4.00	3	4	Li Lithium 6.94	5	Be Beryllium 9.01	6	7	B Boron 10.81	8	C Carbon 12.01	9	N Nitrogen 14.01	10	O Oxygen 16.00	11	F Fluorine 19.00	12	Ne Neon 20.18	13	Na Sodium 22.99	14	Mg Magnesium 24.31	15	Al Aluminum 26.98	16	Si Silicon 28.09	17	P Phosphorus 30.97	18	S Sulfur 32.07	19	Cl Chlorine 35.45	20	Ar Argon 39.95	21	K Potassium 39.10	22	Ca Calcium 40.08	23	Sc Scandium 44.96	24	Ti Titanium 47.87	25	V Vanadium 50.94	26	Cr Chromium 52.00	27	Mn Manganese 54.94	28	Fe Iron 55.85	29	Cobalt Cobalt 58.93	30	Nickel Nickel 58.69	31	Cu Copper 63.55	32	Zn Zinc 65.39	33	Ga Gallium 69.72	34	Ge Germanium 72.61	35	As Arsenic 74.92	36	Se Selenium 78.96	37	Rb Rubidium 85.47	38	Sr Strontium 87.62	39	Y Yttrium 88.91	40	Zr Zirconium 91.22	41	Nb Niobium 92.91	42	Mo Molybdenum 95.94	43	Tc Technetium (98)	44	Ru Ruthenium 101.07	45	Rh Rhodium 102.91	46	Pd Palladium 106.42	47	Ag Silver 107.87	48	Cd Cadmium 112.41	49	In Indium 114.82	50	Sn Tin 118.71	51	Sb Antimony 121.76	52	Te Tellurium 127.60	53	I Iodine 126.90	54	Xe Xenon 131.29	55	Cs Cesium 132.91	56	Ba Barium 137.33	57	La Lanthanum 138.91	58	Ce Cerium 140.12	59	Pr Praseodymium 140.91	60	Nd Neodymium 144.24	61	Pm Promethium (145)	62	Sm Samarium 150.36	63	Eu Europium 151.96	64	Gd Gadolinium 157.25	65	Tb Terbium 158.93	66	Dy Dysprosium 162.50	67	Ho Holmium 164.93	68	Er Erbium 167.26	69	Tm Thulium 168.93	70	Yb Ytterbium 173.04	71	Lu Lutetium 174.97	72	Fr Francium (223)	73	Ra Radium (226)	74	Ac Actinium (227)	75	Rf Rutherfordium (261)	76	Hf Hafnium 178.49	77	Ta Tantalum 180.95	78	W Tungsten 183.84	79	Re Rhenium 186.21	80	Os Osmium 190.23	81	Ir Iridium 192.22	82	Pt Platinum 195.08	83	Au Gold 196.97	84	Hg Mercury 200.59	85	Tl Thallium 204.38	86	Pb Lead 207.2	87	Bi Bismuth 208.98	88	Po Polonium (209)	89	At Astatine (210)	90	Rn Radon (222)	91	Th Thorium 232.04	92	Pa Protactinium 231.04	93	U Uranium 238.03	94	Np Neptunium (237)	95	Pu Plutonium (244)	96	Am Americium (243)	97	Cm Curium (247)	98	Bk Berkelium (247)	99	Cf Californium (251)	100	Fm Fermium (257)	101	Md Mendelevium (258)	102	No Nobelium (259)	103	Lr Lawrencium (262)	104	Rf Rutherfordium (261)	105	Db Dubnium (262)	106	Sg Seaborgium (266)	107	Bh Bohrium (264)	108	Hs Hassium (269)	109	Mt Meitnerium (268)

Key



* If this number is in parentheses, then it refers to the atomic mass of the most stable isotope.